



THE AUSTRALASIAN COLLEGE OF DERMATOLOGISTS

The Australasian College of Dermatologists Position Statement

Sun protection and sunscreens

Purpose: to provide recommendations on sun protection and the safe and effective use of sunscreens

Audience: Community

Acknowledgement: Information in this statement has been adapted from The Australasian College of Dermatologists' *A to Z of Skin: Sun Protection and Sunscreens* by Dr Pascale Guitera FACD. Additional sources, including Cancer Council Australia position statements reviewed and endorsed by The Australasian College of Dermatologists, are indicated.

Endorsement: This position statement has been approved by The Australasian College of Dermatologists Board of Directors.

Disclaimer: This statement reflects the general views of The Australasian College of Dermatologists at the date of release and may be subject to amendment to reflect emerging clinical and scientific evidence. This information provides educational information and is not intended as a substitute for individual patient assessment. Practitioners are advised to interpret and apply recommendations according to the needs and circumstances of each patient.

First endorsed by ACD: Feb 2017

Current: March 2017

Review due: March 2019

Purpose

The Australasian College of Dermatologists provides information, advocacy and advice on dermatological practice in Australia to health professionals, the community and government. Our focus is to train and maintain highly qualified specialists who work to improve outcomes in skin health of individuals and communities.

The purpose of this position statement is to:

- Provide guidance to the community on sun protection and its benefits in reducing the risk of skin cancer and premature aging; and
- Inform the community about sunscreens, how they work and how to use them safely and effectively to reduce skin cancer risk.

Key points

- The goal of sun protection is to prevent the skin from being exposed to excessive ultraviolet (UV) radiation.
- Over a lifetime, the effect of excessive UV exposure accumulates, contributing to ageing of the skin and increasing the risk of skin cancer. Two types of UV radiation - UVA and UVB - both play a role in premature aging and can damage the skin's DNA, leading to precancerous and cancerous changes.
- For effective sun protection of the skin and eyes, a combination of measures are recommended – **slip** on clothing; **slop** on sunscreen; **slap** on a broad-brimmed hat; **seek** shade and **slide** on sunglasses.
- It is also recommended to avoid being outside in the sun in the middle of the day, when UV levels are at their highest. It is UV radiation – not the heat from the sun – that leads to DNA damage.
- Sunscreens reduce the effect of UV radiation on the skin by reducing the amount of UV that reaches skin cells. Different ingredients in sunscreens act to reflect light away from the skin (*reflectant or physical sunscreen*) or absorb UV to stop it penetrating the skin (*absorbent or chemical sunscreen*). Many sunscreen products contain both types of ingredients.
- SPF stands for Sun Protection Factor. It indicates the amount of UVB radiation that can reach the skin with sunscreen, compared with no sunscreen. As SPF is the measurement of protection against UVB only, using a broad-spectrum sunscreen – one that protects against both UVA and UVB – is recommended.
- The difference in UVB protection between SPF 30 and SPF 50 is small, increasing protection from 96.7% to 98%. SPF should not be used as a guide for how long you can stay in the sun before you get sunburnt.
- No sunscreen will block 100% of UV radiation. Sunscreens should be used in conjunction with physical protection and should not be seen as a substitute for shade, hats and protective clothing.
- How effective a sunscreen is depends on how well it is applied and most people do not apply enough. To use sunscreen effectively, apply liberally – at least one teaspoon (5mL) to each body part – at least 20 minutes before going outdoors. It is important not to miss ears, hands, feet and the back of the neck. Reapply every two hours and use a water-resistant sunscreen when swimming and exercising.
- Sunscreens undergo extensive testing before they are approved to go on the market. Sometimes, side effects can occur, such as skin irritation or allergic reactions. These are most commonly a reaction to a chemical in the product (such as fragrance or preservative) rather than the active sunscreen ingredient itself. There is no evidence to support concerns about the safety of sunscreens, including physical “nano-particle” ingredients such as zinc oxide and titanium dioxide.
- For babies less than 6 months of age, the widespread use of chemical sunscreens is not recommended. Sun protection is best provided with shade, clothing, hats and physical sunscreen and by avoiding prolonged outdoor exposure during the middle of the day.
- Generally, sunscreen use should not put people at risk of vitamin D deficiency. In summer in Australia, when the UV index is commonly 3 or above, most adults produce sufficient vitamin D as a result of normal outdoor activity. For people with a diagnosed vitamin D deficiency, exposure without sun protection when the UV Index is 3 or above is not recommended.

ACD Position Statement - Sun protection and sunscreens

What is sun protection?

Sun protection is aimed at reducing excessive exposure to ultraviolet radiation (UV). Effective sun protection allows for healthy growth and development as well as enjoyment of outdoor activities, but aims to reduce risk of skin diseases related to overexposure to sunlight.

Effective sun protection includes a combination of the following measures:

- Physical protection
 - **slip** on clothing, such as tightly woven longer sleeved clothing, and rash vests and wetsuits when swimming or undertaking other water activities
 - **slop** on sunscreen
 - **slap** on a broad-brimmed hat
 - **seek** shade
 - **slide** on sunglasses, preferably close-fitting, wrap-around style
- Avoiding sun exposure during the middle of the day when UV radiation levels are at their highest.

For infants, sun protection is best provided with shade, clothing and hats and by avoiding prolonged outdoor exposure during the middle of the day.

Why is sun protection important?

Australia has a very high incidence of melanoma and non-melanoma skin cancers (basal cell carcinoma and squamous cell carcinoma). This is predominantly due to the high levels of everyday UV exposure and a proportion of the population with a European background, making sun protection important.

Risk factors for skin cancer include fair complexion, increased number of common moles or unusual moles, weakened immune system or a personal or family history of skin cancer.

Sun protection is also important as UV exposure over time accumulates to produce premature ageing changes in the skin of all ethnic groups.

What is ultraviolet radiation?

UV radiation is energy produced by the sun and can damage DNA in cells, leading to cancer. It is divided into 3 types according to its wavelength – UVA, UVB and UVC.

- UVC is the most dangerous but is screened out from reaching the earth's surface by the ozone layer.
- UVB is more energetic, is blocked by window glass and is the main cause of sunburn.
- UVA is less energetic but penetrates more deeply into the skin. UVA is not blocked by window glass.

Both UVA and UVB radiation contribute to:

- Precancerous changes (sun spots, actinic keratoses) in the skin
- Cancerous changes (basal cell carcinoma and squamous cell carcinoma skin cancers and melanoma) in the skin
- Ageing effects on the skin such as skin dryness, pigmentation, fine lines, wrinkling and loss of elasticity (photoaging).

UV levels cannot be estimated by the temperature or the amount of cloud cover. It is recommended to check the daily UV Index at <http://www.myuv.com.au/> or the Bureau of Meteorology at <http://www.bom.gov.au/>.

ACD Position Statement - Sun protection and sunscreens

What are sunscreens?

Sunscreens are products (creams, lotions, mists, sprays, gels and lip balms) applied to the skin to reduce the effects of UV radiation. Sunscreens help prevent the development of skin cancer as well as photodamaging and ageing effects of the sun. They also help to prevent the development and symptoms of photo-sensitising disorders such as photoallergies and phototoxicities.

How do sunscreens work?

Sunscreens work in two ways:

- Blocking or reflecting the UV radiation away from the skin. These are known as **reflectant or physical sunscreens**, such as zinc oxide and titanium dioxide. Reflectant sunscreens may take on a milky-white appearance when applied to the skin.
- Absorbing UV radiation, preventing it from getting into skin cells. These are called **absorbent or chemical sunscreens** and usually containing a mixture of synthetic chemicals, such as cinnamates, dibenzoylmethanes (salicylates) and benzophenones. Absorbent sunscreens are usually invisible when applied to the skin.

Sunscreen ingredients are mixed in different bases to provide the large variety of available products. Sunscreen bases also contain other chemical additives necessary to ensure stability, adequate mixing, a pleasant feel on the skin, a pleasant odour and adequate anti-microbial activity.

What does SPF mean?

SPF stands for Sun Protection Factor. It indicates the amount of UVB radiation that can reach the skin with sunscreen compared with no sunscreen.

The SPF level of a sunscreen is determined in scientific laboratory conditions and is highly regulated in Australia to ensure strict labelling and safety for consumers.

As SPF is the measurement of protection against UVB only, sunscreens with the same SPF may not offer the same levels of protection against UVA radiation. Using a broad-spectrum sunscreen – one that protects against both UVA and UVB – is recommended.

It is often incorrectly assumed that the extra protection offered by SPF 50 is almost double that of SPF 30. In fact, the difference between SPF 30 and SPF 50 is small, increasing the level of UVB protection from 96.7% to 98%. The SPF level should not be used as a guide for how long you can stay in the sun before you get sunburnt – all sunscreens, even when applied correctly, will still allow some UV to penetrate into the skin.

Sunscreens in Australia are labelled for water resistance – this represents the ability of the sunscreen to remain effective on the skin after repeated or prolonged exposure to water. No sunscreen is “water-proof” and all sunscreens become less effective to some extent after exposure to water.

ACD Position Statement - Sun protection and sunscreens

How should you apply sunscreens?

How effective a sunscreen is depends on how well it is applied. Most people do not apply adequate amounts of sunscreen, thereby reducing its effectiveness.

Sunscreens should be applied liberally to the skin at least 20 minutes before going outdoors. This allows the product to be evenly dispersed and absorbed into the superficial layers of the skin. Apply at least 1 teaspoon (5mL) of sunscreen product to each body part (face and neck, each arm, each leg, front of body, back etc. and do not miss ears, hands and feet and the back of the neck). Reapply sunscreen every 2 hours.

Use a water-resistant sunscreen when swimming, exercising or perspiring while outdoors. It is always recommended that sunscreens be reapplied after exposure to water to ensure adequate protection. UV protecting garments such as T-shirts, rash vests and wetsuits offer a better protection than sunscreens.

What are the common side effects of sunscreens?

Synthetic chemicals used in sunscreens have been tested extensively for the risk of side effects. Reactions can occur occasionally as a result of sensitivity or allergy to sunscreen ingredients however there are very few reports of chronic or long-term effects related to regular sunscreen use.

While uncommon, reactions can occur at first use, or after a few days or years of using the same product. Types of reactions include:

- **Irritation and sensitivity:** burning, stinging or redness can occur in certain areas of the skin, such as the face around the eyes, or occasionally on the hairy forearms of men. This is not an allergy to the sunscreen as the effect only occurs in certain areas, whereas it can be used without irritation on other areas of skin. This is the most common sensitivity reaction and is called “irritant contact dermatitis”.
- **Allergy:** A true allergic reaction to a chemical in a sunscreen product can occur but is less common.
 - ‘Allergic contact dermatitis’ is where an itchy, blistering rash develops at sites where the sunscreen is applied and can sometimes spread to other areas of the body.
 - ‘Photocontact dermatitis’, a reaction which may look like severe sunburn or eczema, is usually a result of an allergy and occurs where the product has been applied and exposed to sunlight.

In most cases, allergic reactions are due to exposure to a chemical used in the base such as a perfume or preservative, rather than the active sunscreen ingredients. Physical blockers, such as zinc oxide and titanium dioxide, have not been reported to cause contact allergy.

You can perform your own ‘patch test’ to check for a reaction to a sunscreen product. Apply a small amount on the inside of your forearm to see if the skin reacts, before applying it to the rest of the body. If irritancy or sensitivity occurs, it is recommended that another product is used.

Professional patch testing and assessment by a dermatologist may identify the ingredient in sunscreen that is causing an allergic reaction. If you have a known sunscreen allergy, the best way to avoid a reaction is to not use any product that contains the substances that you are allergic to. A dermatologist is best placed to diagnose a reaction and help determine which ingredients you should avoid.

Some sunscreens can cause acne-like eruptions (pimples, folliculitis) when applied to the skin. Again, this is usually caused by the base ingredients of the sunscreen. For those prone to eruptions, gels, lotions or products labelled “oil-free” or “non-comedogenic” are recommended.

Do sunscreens cause cancer?

To date, there is no scientific evidence to suggest that synthetic sunscreen chemicals cause cancer. A recent review of the safety of “nanoparticles” (zinc oxide and titanium dioxide) in sunscreens published by the Australian Government Therapeutic Goods Administration found no evidence of safety concerns. Because skin cancer and melanoma have been linked to UV exposure, the benefit of sun protection is clear.

Are sunscreens safe for young babies?

Because very young babies (less than six months of age) absorb more of any chemical applied to the skin than adults, the widespread regular use of chemical sunscreens is not recommended. Instead, avoiding direct sunlight, protecting with clothing and hats and using a physical sunscreen on exposed areas, is preferred.

Can I become deficient in vitamin D if I protect with sunscreen?

Generally, sunscreen use should not put people at risk of vitamin D deficiency. In summer in Australia, when the UV index is 3 or above, most adults will maintain adequate vitamin D levels during typical day to day outdoor activities. Those who are protecting themselves very well from UV exposure because of past history of skin cancer or melanoma should talk to their doctor about vitamin D deficiency.

ACD Position Statement – Sun protection and sunscreens

References and further information

The Australasian College of Dermatologists. A to Z of Skin: Sun Protection and Sunscreens.

<https://www.dermcoll.edu.au/atoz/sun-protection-sunscreens/>. Accessed Jan 2017.

Contributor: Dr Pascale Guitera

Cancer Council Australia. Position statement – sun protection and infants (0-12 months).

[http://wiki.cancer.org.au/policy/Position_statement_-_Sun_protection_and_infants_\(0-12_months\)#_ga=1.126330441.530426991.1463699610](http://wiki.cancer.org.au/policy/Position_statement_-_Sun_protection_and_infants_(0-12_months)#_ga=1.126330441.530426991.1463699610). Accessed Jan 2017.

Endorsed by The Australasian College of Dermatologists

Cancer Council Australia. Position statement – Screening and early detection of skin cancer.

http://wiki.cancer.org.au/policy/Position_statement_-_Screening_and_early_detection_of_skin_cancer#_ga=1.163538552.530426991.1463699610. Accessed Jan 2017.

Endorsed by The Australasian College of Dermatologists

Cancer Council Australia. Position statement – Sun exposure and vitamin D - risks and benefits.

http://wiki.cancer.org.au/policy/Position_statement_-_Risks_and_benefits_of_sun_exposure#_ga=1.232170075.530426991.1463699610. Accessed Jan 2017.

Endorsed by The Australasian College of Dermatologists

Cancer Council Australia. Sunscreen reactions. <http://www.cancer.org.au/preventing-cancer/sun-protection/sunscreen-reactions.html>. Accessed March 2017.

Reviewed and endorsed by The Australasian College of Dermatologists

Garbutcheon-Singh, KB et al. Assessing community attitudes and behaviours with respect to sun protection and sunscreens. *Australasian Journal of Dermatology* 2016; 57:102-107.

Wong, CC et al. Think UV, not heat! *Australasian Journal of Dermatology* 2015;56:275-278

Therapeutic Goods Administration. Literature Review on the safety of titanium dioxide and zinc oxide nanoparticles in sunscreens: Scientific review report. Version 1.1. Commonwealth of Australia. August 2016.

Legal disclaimer: This document has been prepared having regard to general circumstances, and it is the responsibility of the practitioner to have express regard to the particular circumstances of each case, and the application of this document in each case.

Professional documents are reviewed from time to time, and it is the responsibility of the practitioner to ensure that the practitioner has obtained the current version. Professional documents have been prepared having regard to the information available at the time of their preparation, and the practitioner should therefore have regard to any information, research or material which may have been published or become available subsequently.

Whilst the College endeavours to ensure that professional documents are as current as possible at the time of their preparation, it takes no responsibility for matters arising from changed circumstances or information or material which may have become available subsequently.

©This document is copyright and cannot be reproduced in whole or in part without prior permission.



THE AUSTRALASIAN COLLEGE OF DERMATOLOGISTS

PO Box 3785 Rhodes NSW 2138 Australia
Suite 2A Level 2 9 Blaxland Road Rhodes NSW 2138 Australia
Telephone +61 2 8765 0242 | Australia Only 1300 361 821
Facsimile +61 2 9736 2194 | Email admin@dermcoll.edu.au
Website www.dermcoll.edu.au

